

IPC-V Series IP Cameras Catalog

Linovision
April, 2014

About Linovision

Linovision just focus on IP camera solutions.

We are proud of designing and manufacturing a complete line of megapixel IP cameras, as well as NVR, IP Speed dome, management software, PoE switches, etc.












With a very strong and experienced software development team, we can customize both hardware and software system according to your specific requirements.











In contrast with the large companies bloated and bureaucratic style, our agile and dynamic team will respond to customers' requirements, shipment and technical service very quickly.

Our work philosophy is to help our customers success in this rapid growing market.



IPC Selection Chart

Model	Type	Resolution	IR	Vari-focal Lens	Motorized Lens	Water Proof	Vandal Proof	WDR	WiFi	Audio	Alarm	SD Card	
IPC-VEC883F-E		5 MP								√	√	√	
IPC-VEC883F-W		5 MP							√	√	√	√	
IPC-VEC854F-E		3 MP								√	√	√	
IPC-VEC854F-W		3 MP							√	√	√	√	
IPC-VEC854FWD-E		3 MP							√	√	√	√	
IPC-VEC854FWD-W		3 MP							√	√	√	√	
IPC-V853F-E		2 MP									√	√	√
IPC-VEC853F-W		2 MP								√	√	√	√
IPC-V842F-E		1.3 MP									√	√	√
IPC-VEC842FWD-E		1.3 MP							√		√	√	√
IPC-VEC842F-W		1.3 MP								√	√	√	√
IPC-VEC854F-EIR			3 MP	√	√		√				√	√	√
IPC-V853F-EIR		2 MP	√	√		√				√	√	√	
IPC-V843F-EIR		1.3 MP	√	√		√				√	√	√	
IPC-V852F-EIR		2 MP	√			√				√	√	√	
IPC-V842F-EIR		1.3 MP	√			√				√	√	√	
IPC-V832-EI		1.0 MP	√			√							
IPC-VEC8254F-EI		3 MP	√	√		√				√	√	√	
IPC-VEC8254FWD-EI		3 MP	√	√		√		√		√	√	√	
IPC-V8253F-EI		2 MP	√	√		√				√	√	√	
IPC-V8253F-EIZ		2 MP	√	√		√				√	√	√	
IPC-V8243F-EI		1.3 MP	√	√		√				√	√	√	
IPC-VEC8243FWD-EI		1.3 MP	√	√		√			√		√	√	
IPC-V8362-EI		3 MP	√				√						
IPC-V8342-EI	1.3 MP	√				√							
IPC-V8262-EI		3 MP	√			√							
IPC-V8232-EI		1.0 MP	√			√							
IPC-VEC8242-EI		1.3 MP	√			√							

Model	Type	Resolution	IR	Vari-focal Lens	Motorized Lens	Water Proof	Vandal Proof	WDR	WiFi	Audio	Alarm	SD Card	
IPC-VEC754F-E		3 MP		√		√	√			√	√	√	
IPC-VEC754FWD-E		3 MP		√		√	√	√		√	√	√	
IPC-V753F-EZ		2 MP		√	√	√	√			√	√	√	
IPC-V753F-E		2 MP		√			√	√			√	√	√
IPC-V743F-E		1.3 MP		√			√	√			√	√	√
IPC-VEC752F-E		2 MP		√							√	√	√
IPC-VEC742F-E		1.3 MP		√						√	√	√	
IPC-V7163F-E		3 MP				√	√					√	
IPC-V7153F-E		2 MP				√	√					√	
IPC-V7143F-E		1.3 MP					√	√				√	
IPC-V7132-E		1.0 MP											
IPC-VEC754F-EI		3 MP	√	√		√	√			√	√	√	
IPC-VEC754FWD-EI		3 MP	√	√		√	√	√		√	√	√	
IPC-V753F-EIZ		2 MP	√	√	√	√	√			√	√	√	
IPC-VEC752F-EI		2 MP	√	√						√	√	√	
IPC-VEC742F-EI		1.3 MP	√	√						√	√	√	
IPC-V753F-EI		2 MP	√	√			√	√			√	√	√
IPC-V743F-EI		1.3 MP	√	√			√	√			√	√	√
IPC-V7262-EI		3 MP	√				√						
IPC-V7242-EI		1.3 MP	√			√							
IPC-V7232-EI		1.0 MP	√										
IPC-V7462-EI		3 MP	√				√	√				O	
IPC-V7452-EI		2 MP	√			√	√					O	
IPC-V7442-EI		1.3 MP	√				√	√				O	
IPC-V7362-EI		3 MP	√			√	√			√			
IPC-V7352-EI		2 MP	√			√	√			√			
IPC-V7342-EI		1.3 MP	√				√	√		√			

√ mean Support
O mean Optional

Network Camera Detail

IPC-VEC883F-E(W)

5MP CMOS Full HD Network Camera



- 1/2.5" 5 Megapixels Aptina CMOS
- H.264 & MJPEG dual-stream encoding
- Max 8fps@5M(2560×1920)
- Max 25/30fps@1080P
- DWDR, D&N(ICR), Auto Iris, SD card
- Wi-Fi(-W model), AC24V/DC12V, PoE(-E model)

IPC-VEC854F(WD)-E(W)

3MP CMOS Full HD Network Camera



- 1/2.8" 3MP PS Exmor (Aptina) CMOS
- H.264/MJPEG dual-stream encoding
- Max 20fps@3M(2048×1536), 25/30fps@1080P
- DWDR, D&N(ICR), Auto Iris, SD card
- AC24V/DC12V, PoE(-E model)
- Wi-Fi (-W model)
- WDR (IPC-VEC854FWD-E(W))

IPC-V(EC)853F-E(W)

2MP CMOS Full HD Network Camera



- 1/3" 2MP PS Exmor CMOS
- H.264/MJPEG dual-stream encoding
- Max 25/30fps@1080P
- DWDR, D&N(ICR), Auto Iris, SD card
- DC12V/AC24V, PoE(-E model)
- Wi-Fi (-W model)

IPC-V(EC)842F(WD)-E(W)

1.3MP CMOS HD Network Camera



- 1/3" 1.3MP Aptina CMOS
- H.264/MJPEG dual-stream encoding
- Max 25/30fps@1.3M(1280×960)/720P
- DWDR, D&N(ICR), Auto Iris, SD card
- DC12V/AC24V, PoE(-E model)
- Wi-Fi(-W model)
- WDR (IPC-VEC842FWD-E)

IPC-VEC854F-EIR

3MP CMOS Full HD Waterproof IR Network Camera



- 1/2.8" 3MP PS Exmor CMOS
- H.264/MJPEG dual-stream encoding
- Max 20fps@3M(2048×1536), 25/30fps@1080P
- Lens: 8~16mm/F1.6, IR LEDs: 30m
- DWDR, D&N(ICR), Auto Iris, Micro SD card
- IP66, DC12V, PoE (AC24V optional)

IPC-V853F-EIR

2MP CMOS Full HD Waterproof IR Network Camera



- 1/3" 2MP progressive scan Exmor CMOS
- H.264/MJPEG dual-stream encoding
- Max 25/30fps@1080P
- Lens: 3.3~12mm/F1.4, IR LEDs: 100m
- DWDR, D&N(ICR), Auto Iris, Micro SD card
- IP66, DC12V, PoE

IPC-V843F-EIR

1.3MP CMOS HD Waterproof IR Network Camera



- 1/3" 1.3MP progressive scan Aptina CMOS
- H.264/MJPEG dual-stream encoding
- Max 25/30fps@720P
- Lens: 3.3~12mm/F1.4, IR LEDs: 100m
- DWDR, D&N(ICR), Auto Iris, Micro SD card
- IP66, DC12V, PoE

IPC-V852F-EIR

2MP CMOS Full HD Waterproof IR Network Camera



- 1/3" 2MP progressive scan Exmor CMOS
- H.264/MJPEG dual-stream encoding
- Max 25/30fps@1080P
- Lens: 3.6mm(6mm, 8mm optional)
- IR LEDs: 50m
- DWDR, D&N(ICR), Auto Iris, Micro SD card
- IP66, DC12V, PoE

IPC-V842F-EIR

1.3MP CMOS HD Waterproof IR Network Camera



- 1/3" 1.3MP progressive scan Aptina CMOS
- H.264/MJPEG dual-stream encoding
- Max 25/30fps@720P
- Lens: 3.6mm(6mm, 8mm optional)
- IR LEDs: 50m
- DWDR, D&N(ICR), Auto Iris, Micro SD card
- IP66, DC12V, PoE

IPC-V832-EI

1.0MP CMOS HD Network IR Waterproof Camera



- 1/3" 1.0MP progressive scan CMOS
- H.264 /MJPEG dual-stream encoding
- Max 25/30fps@720P
- Lens: 3.6mm(6mm optional)
- DWDR, D/N(ICR)
- IP66, DC12V, PoE
- IR distance: 20m

IPC-VEC8254F(WD)-EI

3MP CMOS Full HD Waterproof IR Network Camera



- 1/2.8" 3MP PS Exmor CMOS
- H.264/MJPEG dual-stream encoding
- Max 20fps@3M(2048 × 1536), 25/30fps@1080P
- Lens: 3.3~12mm/F1.6, IR LEDs: 20m
- DWDR, D&N(ICR), Auto Iris, Micro SD card
- IP66, DC12V, PoE(AC24V optional)
- WDR (IPC-VEC8254FWD-EI)

IPC-V(EC)8253F-EI(Z)

2MP CMOS Full HD Waterproof IR Network Camera



- 1/3" 2MP PS Exmor CMOS
- H.264/MJPEG dual-stream encoding
- Max 25/30fps@1080P
- Lens: 3.3~12mm/F1.4, IR LEDs: 30m
- 3~9mm Motorized Lens(IPC-VEC8253F-EI(Z))
- DWDR, D&N(ICR), Auto Iris, Micro SD card
- IP66, DC12V, PoE, (AC24V optional)

IPC-V(EC)8243F(WD)-EI

1.3MP CMOS Full HD Waterproof IR Network Camera



- 1/3" 1.3MP progressive scan Aptina CMOS
- H.264/MJPEG dual-stream encoding
- Max 25/30fps@720P
- Lens: 2.8~12mm/F1.4, IR LEDs: 20m
- DWDR, D&N(ICR), Auto Iris, Micro SD card
- IP66, DC12V, PoE
- WDR (IPC-VEC8243FWD-EI)

IPC-V8262F-EI

3MP CMOS Full HD Waterproof Network Camera



- 1/3" 3MP progressive scan Aptina CMOS
- H.264/MJPEG dual-stream encoding
- Max 20fps@3M(2048x1536), 25/30fps@1080P
- Lens: 6mm(3.6mm, 8mm optional)
- DWDR, D&N(ICR)
- IR LEDs: 30m
- IP66, DC12V, PoE

IPC-VEC8242-EI

1.3MP CMOS HD Waterproof IR Network Camera



- 1/3" 1.3MP Aptina CMOS
- H.264/MJPEG dual-stream encoding
- Max 15fps@1280x960, 25/30fps@720P
- Lens: 6mm(3.6mm, 8mm optional)
- D&N(ICR),
- IR LEDs: 20m
- IP66, DC12V, PoE

IPC-VEC754F-E

3MP Vandal-proof Network Dome Camera



- 1/2.8" 3MP PS Exmor CMOS
- H.264/MJPEG dual-stream encoding
- Max 20fps@3M(2048x1536), 25/30fps@1080P
- Built-in varifocal lens: 3.3~12mm
- DWDR, D&N(ICR), Auto Iris, Micro SD card
- IK10, IP66, AC24V/DC12V, PoE

IPC-VEC754FWD-E

3MP Vandal-proof Network WDR Dome Camera



- 1/2.8" 3MP progressive scan Aptina CMOS
- H.264 /MJPEG dual-stream encoding
- Max 15fps@3M(2048 × 1536), 25/30fps@1080P
- Built-in varifocal lens: 3.3~12mm
- WDR, D&N(ICR), Auto Iris, Micro SD card
- IK10, IP66, AC24V/DC12V, PoE

IPC-V(EC)753F-E(Z)

2MP Vandal-proof Full HD Dome Camera



- 1/3" 2MP progressive scan Exmor CMOS
- H.264/MJPEG dual-stream encoding
- Max 25/30fps@1080P
- Built-in varifocal lens: 2.7~12mm
- 3~9mm Motorized Lens(IPC-VEC753F-EZ)
- DWDR, D&N(ICR), Auto Iris, Micro SD card
- IP66, DC12V, PoE,(AC24V optional)

IPC-V743F-E

1.3MP Vandal-proof Network Dome Camera



- 1/3" 1.3MP progressive scan Aptina CMOS
- H.264/MJPEG dual-stream encoding
- Max 25/30fps@1.3M(1280x960)
- Built-in varifocal lens: 2.7~9mm
- DWDR, D&N(ICR), Auto Iris, Micro SD card
- IP66, DC12V, PoE,(AC24V optional)

IPC-VEC752F-E

3MP Plastic Full HD Network Dome Camera



- 1/3" 2MP progressive scan Exmor CMOS
- H.264/MJPEG dual-stream encoding
- Max 25/30fps@1080P
- Built-in varifocal lens: 3.3~12mm
- DWDR, D&N(ICR), Auto Iris, Micro SD card
- IP66, DC12V, PoE

IPC-VEC742F-E

1.3MP Plastic HD Network Dome Camera



- 1/3" 1.3MP progressive scan Aptina CMOS
- H.264/MJPEG dual-stream encoding
- Max 15fps@1.3M(1280x960), 25/30pfs@720P
- Built-in varifocal lens: 2.8~12mm
- DWDR, D&N(ICR), Auto Iris, Micro SD card
- IP66, DC12V, PoE

IPC-V7163F-E

3MP Vandal-proof Mini Network Dome Camera



- 1/3" 3MP progressive scan Aptina CMOS
- H.264/MJPEG dual-stream encoding
- Max 20fps@3M(2048x1536), 25/30fps@1080P
- Lens: 3.6mm(2.8mm, 6mm optional)
- DWDR, Micro SD card
- IK10, IP66, DC12V, PoE

IPC-V7153F-E

2MP Vandal-proof Mini Network Dome Camera



- 1/3" 2MP progressive scan Exmor CMOS
- H.264/MJPEG dual-stream encoding
- Max 25/30fps@1080P
- Lens: 3.6mm(2.8mm, 6mm optional)
- DWDR, Micro SD card
- IK10, IP66, DC12V, PoE

IPC-V7143F-E

1.3MP Vandal-proof Mini Network Dome Camera



- 1/3" 1.3MP progressive scan Aptina CMOS
- H.264/MJPEG dual-stream encoding
- Max 15fps@1.3M(1280x960), 25/30pfs@720P
- Lens: 3.6mm(2.8mm, 6mm optional)
- DWDR, Micro SD card
- IK10, IP66, DC12V, PoE

IPC-VEC754F-EI

3MP Vandal-proof Network IR Dome Camera



- 1/2.8" 3MP PS Exmor CMOS
- H.264 /MJPEG dual-stream encoding
- Max 20fps@3M(2048x1536), 25/30fps@1080P
- Built-in varifocal lens: 3.3~12mm
- DWDR, D&N(ICR), Auto Iris, Micro SD card
- IK10, IP66, AC24V/DC12V, PoE
- IR distance: 20m

IPC-VEC754FWD-EI

3MP Vandal-proof Network WDR IR Dome Camera



- 1/2.8" 3MP PS Exmor CMOS
- H.264 /MJPEG dual-stream encoding
- Max 20fps@3M(2048x1536), 25/30fps@1080P
- Built-in varifocal lens: 3.3~12mm
- WDR, D&N(ICR), Auto Iris, Micro SD card
- IK10, IP66, AC24V/DC12V, PoE
- IR distance: 20m

IPC-VEC753F-EIZ

2MP Vandal-proof Motorized Lens Network IR Dome Camera



- 1/3" 2MP PS Exmor CMOS
- H.264/MJPEG dual-stream encoding
- Max 25/30fps@1080P
- Motorized Lens: 3~9mm/F1.6
- DWDR, D&N(ICR), Auto Iris, Micro SD card
- IK10, IP66, AC24V/DC12V, PoE
- IR LEDs: 20m

IPC-V753F-EI

2MP Vandal-proof Network IR Dome Camera



- 1/3" 2MP PS Exmor CMOS
- H.264/MJPEG dual-stream encoding
- Max 25/30fps@1080P
- Built-in varifocal lens: 2.7~12mm/F1.4
- DWDR, D&N(ICR), Auto Iris, Micro SD card
- IK10, IP66, AC24V/DC12V, PoE
- IR LEDs: 20m

IPC-V743F-EI

1.3MP Vandal-proof Network IR Dome Camera



- 1/3" 1.3MP progressive scan Aptina CMOS
- H.264/MJPEG dual-stream encoding
- Max 25/30fps@1.3M(1280x960), 25/30pfs@720P
- Built-in varifocal lens: 2.7~9mm/F1.4
- DWDR, D&N(ICR), Auto Iris, Micro SD card
- IK10, IP66, AC24V/DC12V, PoE
- IR LEDs: 20m

IPC-VEC752F-EI

2MP Plastic Network IR Dome Camera



- 1/3" 2MP PS Exmor CMOS
- H.264/MJPEG dual-stream encoding
- Max 25/30fps@1080P
- Built-in varifocal lens: 3.3~12mm/F1.4
- DWDR, D&N(ICR), Auto Iris, Micro SD card
- DC12V, PoE
- IR LEDs: 20m

IPC-VEC742F-EI

1.3MP Plastic Network IR Dome Camera



- 1/3" 1.3Mp progressive scan Aptina CMOS
- H.264/MJPEG dual-stream encoding
- Max 15fps@1.3M(1280x960), 25/30fps@720P
- Built-in varifocal lens: 2.8~12mm/F1.4
- DWDR, D&N(ICR), Auto Iris, Micro SD card
- DC12V, PoE
- IR LEDs: 20m

IPC-V7262-EI

3MP CMOS Full HD Network IR Mini Dome Camera



- 1/3" 3MP progressive scan Aptina CMOS
- H.264 /MJPEG dual-stream encoding
- Max 20fps@3M(2048x1536), 25/30fps@1080P
- Lens: 3.6mm(6mm, optional)
- DWDR, D/N(ICR)
- IP66, DC12V, PoE
- IR distance: 20m

IPC-VEC7242-EI

1.3MP CMOS HD Network IR Mini Dome Camera



- 1/3" 1.3MP progressive scan Aptina CMOS
- H.264 /MJPEG dual-stream encoding
- Max 25/30fps@1.3M(1280x960), 25/30fps@720P
- Lens: 3.6mm(2.8mm, 6mm, optional)
- DWDR, D/N(ICR)
- IP66, DC12V, PoE
- IR distance: 20m

IPC-V8232-EI

1.0MP Network IR Mini Bullet Camera



- 1/4" 1.0MP progressive scan CMOS
- H.264/MJPEG dual-stream encoding
- Max 25/30fps@720P(1280x720)
- Lens: 3.6mm(2.8mm, 6mm optional)
- DWDR, D/N(ICR)
- IP66, DC12V, PoE
- IR distance: 20m

IPC-V7232-EI

1.0MP Network IR Mini Dome Camera



- 1/4" 1.0MP progressive scan CMOS
- H.264/MJPEG dual-stream encoding
- Max 25/30fps@720P(1280x720)
- Lens: 3.6mm(2.8mm, 6mm optional)
- DWDR, D/N(ICR)
- DC12V, PoE
- IR distance: 20m

IPC-V7132-E

1.0MP Network Mini Dome Camera



- 1/4" 1.0MP progressive scan CMOS
- H.264/MJPEG dual-stream encoding
- Max 25/30fps@720P(1280x720)
- Lens: 3.6mm(2.8mm, 6mm optional)
- DWDR, Day/Night
- DC12V, PoE

IPC-V8362-EI

3MP Full HD Network IR Waterproof Camera



- 1/3" 3Mp progressive scan Aptina CMOS
- H.264/MJPEG dual-stream encoding
- Max 20fps@3M(2048x1536), 25/30pfs@1080P
- Lens: 3.6mm(6mm, 8mm optional)
- DWDR, D&N(ICR)
- DC12V, PoE
- IR LEDs: 30m

IPC-V8342-EI

1.3MP Network IR Waterproof Camera



- 1/3" 1.3MP progressive scan Aptina CMOS
- H.264 /MJPEG dual-stream encoding
- Max 25/30fps@1.3M(1280x960)/720P
- Lens: 3.6mm(6mm, 8mm optional)
- DWDR, D/N(ICR)
- IP66, DC12V, PoE
- IR distance: 30m

IPC-V7462-EI

3MP Full HD Network IR Mini Dome Camera



- 1/3" 3MP progressive scan Exmor CMOS
- H.264 /MJPEG dual-stream encoding
- Max 20fps@3M(2048x1536), 25/30pfs@1080P
- Lens: 3.6mm(2.8mm, 6mm optional)
- DWDR, D/N(ICR), 3DNR, AWB, AGC, BLC
- IP66, IK10, PoE
- IR distance: 30m

IPC-V7452-EI

2MP Full HD Network IR Mini Dome Camera



- 1/3" 2MP progressive scan Exmor CMOS
- H.264 /MJPEG dual-stream encoding
- 25/30pfs@1080P
- Lens: 3.6mm(2.8mm, 6mm optional)
- DWDR, D/N(ICR), 3DNR, AWB, AGC, BLC
- IP66, IK10, PoE
- IR distance: 30m

IPC-V7442-EI

1.3MP Network IR Mini Dome Camera



- 1/3" 1.3MP progressive scan Aptina CMOS
- H.264 /MJPEG dual-stream encoding
- Max 25/30fps@1.3M(1280x960)/720P
- Lens: 3.6mm(2.8mm, 6mm optional)
- DWDR, D/N(ICR), 3DNR, AWB, AGC, BLC
- IP66, IK10, PoE
- IR distance: 30m

IPC-V7362-EI

3MP Full HD Network IR Mini Dome Camera



- 1/3" 3MP progressive scan Aptina CMOS
- H.264 /MJPEG dual-stream encoding
- Max 20fps@3M(2048x1536), 25/30pfs@1080P
- Lens: 3.6mm(6mm, 8mm optional)
- DWDR, D/N(ICR), 3DNR, AWB, AGC, BLC
- IP66, IK10, PoE
- IR distance: 30m

IPC-V7352-EI

2MP Full HD Network IR Mini Dome Camera



- 1/3" 2MP progressive scan Exmor CMOS
- H.264 / MJPEG dual-stream encoding
- 25/30fps@1080P
- Lens: 3.6mm(6mm, 8mm optional)
- DWDR, D/N(ICR), 3DNR, AWB, AGC, BLC
- IP66, IK10, PoE
- IR distance: 30m

IPC-V7342-EI

1.3MP HD Network IR Mini Dome Camera



- 1/3" 1.3MP progressive scan Aptina CMOS
- H.264 / MJPEG dual-stream encoding
- Max 25/30fps@1.3M(1280x960)
- Lens: 3.6mm(6mm, 8mm optional)
- DWDR, D/N(ICR), 3DNR, AWB, AGC, BLC
- IP66, IK10, PoE
- IR distance: 30m