



Features

- Its unique features and functions have changed the way a normal screen should perform.
- Able to shift screen horizontally for projection alignment
- Excellent performance and high quality
- Compact and light weight
- Unique Auto-Gear Mechanism allows screen to roll up smoothly like a motorized screen.
- Precise stop position when pulled down.

Model	Diagonal	Viewing Area	
<u>1:1 Format (No Black Border)</u>			
SAS-1515	-	62" x 62"	1570 x 1570mm
SAS-1818	-	72" x 72"	1830 x 1830mm
SAS-2121	-	84" x 84"	2130 x 2130mm
SAS-2424	-	96" x 96"	2440 x 2440mm
<u>1:1 Format (3-Sided Black Border)</u>			
SAS-1515B	-	62" x 62"	1570 x 1570mm
SAS-1818B	-	72" x 72"	1830 x 1830mm
SAS-2121B	-	84" x 84"	2130 x 2130mm
SAS-2424B	-	96" x 96"	2440 x 2440mm
<u>4:3 Format</u>			
SAS-1713V	86"	5.7" x 4.3"	1750 x 1310mm
SAS-2015V	100"	6.7" x 5"	2050 x 1540mm
SAS-2317V	116"	7.7" x 5.8"	2360 x 1770mm
<u>16:9 Format</u>			
SAS-1709H	79"	5.7" x 3.2"	1750 x 980mm
SAS-2011H	92"	6.7" x 3.8"	2050 x 1150mm
SAS-2212H	100"	7.3" x 4"	2210 x 1240mm
SAS-2313H	106"	7.7" x 4.4"	2360 x 1330mm
<u>16:10 Format</u>			
SAS-1710W	81"	5.7" x 3.6"	1750 x 1090mm
SAS-2012W	95"	6.7" x 4.2"	2050 x 1290mm
SAS-2113W	100"	7" x 4.4"	2150 x 1350mm
SAS-2314W	110"	7.7" x 4.8"	2360 x 1470mm



***** For other screen sizes, please call for consultation.**

Specifications

- Screen Gain : 1.2
- Viewing Angle : 160 degrees viewing cone
- Screen Materials : Matte White with fibreglass coating,
Flame Retardant and fungus resistane
- Construction : Heavy Duty casing with powder-coating finishing
Strong tensioning device to ensure flat screen
Auto-Gear Mechanism for precise and effective stopping at desired height
Auto-Gear Mechanism to allow screen roll up smoothly and steadily like a motorized screen
- Accessory : Comes with universal bracket for all types of mounting on the wall or ceiling

Common problems associated with normal manual screen


When pulled down, normal manual screen cannot stop at your desired position due to poor stopping mechanism, causing frustration to the user. Damages of the screen is inevitable if too much force is used to pull down the screen.

When rolled up, normal screen either jammed or rolled up too fast, causing a loud impact when the bottom bar hit the frame. This will cause damages to the screen too!


T H E S O L U T I O N !

Auto-Gear Mechanism is an innovative designed gear system that stop at your desired position when pulled down and released. To roll up, just pulled down slightly and release, the unique Auto-Gear Mechanism will wind the screen up slowly and smoothly just like a motorized screen. Simple as that, no more hassle and damage to the screen.




Easy Horizontal Alignment


Screen can be adjusted horizontally even after installation. This is very useful function especially when you need to align screen to suit your projection image.



Dimensions



- Screen Casing Width = Screen Width + 60mm
- Screen Casing Width = Screen Width + 65mm (SAS-2121)
- Screen Casing Width = Screen Width + 72mm (SAS-2424)



* For details dimension ,
please refer to technical specifications at
www.remacotech.com